

NATIONAL RESEARCH CENTRE
TAHRIR St. DOKKI, CAIRO, EGYPT
Central Unit For Analysis And
Scientifical Services (CUASS)
Material Test Lab.

المركز القومى للبحوث

الدقس. القاهرة. جمهورية مصر العربية وحدة التحاليل والخدمات العلمية المركزية معمل اختبار المواد




Test Report

Test Report		
Report No. Client Authority & date	MO1 6715 09 2021 Tri-Chem Construction Chemicals Request Orders 18/10/2021	
Items Tested Results	<u>Sample of Tri Bitujoint</u> The detailed test results are given on the following pages of this report (4 pages).	
Report Typist Test carried and supervised by	* Mis. Sara Abdel Rehim – Naglaa Mohamed * Mis . Fatma El – Zahraa Fikry * H.Eng. Ahmed Sayed * Chem. Amr El Shafey * Dr. Abou El Ftouh Abd El Hakem	
Authorized by	Prof. Dr. Mostafa Zaki Mostafa * The Supervisor of ceramics, Polymer and Solid Matter Department. Management Representative and Quality Assurance Manager.	
Issue date Condition of Test	4/11/2021 The test specimen was conditioned at 23 °C with	

The test specimen was conditioned at 23 °C with a humidity of 60 % and the needed calibrations as well as balancing of the all used machines were always done.

شارع التحرير - الدقى - القاهرة

& Issue



المركز القومى للبحوث

الدقى . القاهرة . حمهورية مصر العربية وحدة التحاليل والخدمات العلمية المركزية معمل اختبار المواد



To / Tri-Chem Construction Chemicals

Dear Sir.,

With correspondence to your request dated 18/10/2021 concerning the testing Sample of Tri Bitujoint, We would like to inform you that the all following needed tests were carried out which namely:-

- Elongation according to ASTM D412

We would like to inform you that the all needed tests were carried out taking into consideration the following conditions:


1-In all mechanical properties GALDABINI -QUASAR 600- Testing Machine was used This type of GALDABINI has a self calibration, zero adjusting and automatic balance, which are done daily before testing or during testing this testing instrument is accompanied by a highly reliable system for evaluating the mechanical properties.

- 2-Measuring drum of sensitivity+0.01mm was used for dimensions evaluation
- 3- The all used Machinery and the apparatus were calibrated periodically.

The following tables give the obtained results representing the sample Delivered from your company.



E-mail: nrc1302a@yahoo.com



الدقى . القاهرة . حمهورية مصر العربية وحدة التحاليل والخدمات العلمية المركزية معمل اختبار المواد



Elongation according to ASTM D412


On a Sample of Tri Bitujoint

Delivered from Tri-Chem Construction Chemicals

No.	Elongation (%)	The mean value
1	17.11	
2	19.01	
3	21.01	19.09
4	18.53	
5	19.81	



E-mail: nrc1302a@yahoo.com



الدقس . القاهرة . جمهورية مصر العربية وحدة التحاليل والخدمات العلمية المركزية معمل اختبار المواد



This report was given to you representing only the results for testing sample of Tri Bitujoint, these results and conclusions were given to you without any responsibility on THE CERAMICS, POLYMERS AND SOLID MATTER DEP. Of THE MATERIAL TEST LAB in THE NATIONAL RESEARCH CENTRE for pick up the samples to be tested.

These results represent only the delivered sample and not any stored or produced quantities for any other purpose or project, Unauthorized reproduction of this report or any copy of it by any way or for any target is prohibited.

Head of Director of The Board of Central Depertment for Scientifical Analysis and Tests

SUPERVISOR OF Material Test Lab

PROF.DR. MOSTAFA ZAKI MOSTAF

